

FIG. 1A (Prior Art)




FIG. 1
(Prior Art)





FIG. 1A
(Prior Art)

09777287 020604

122



125

122A

FIG. 2A
(Prior Art)

FIG. 2B is a schematic diagram of a user interface form. It features a rectangular box at the top labeled "TEXT". Below this box is a dashed rectangular area containing two radio button options: "YES" (with a filled circle) and "NO" (with an empty square). Handwritten annotations include "134C" pointing to the "YES" radio button, "134A" pointing to the "NO" radio button, and "134B" pointing to the dashed area. At the bottom of the form is a rounded rectangular button labeled "NEXT", with a handwritten "~134D" next to it.

FIG. 2B

FIG. 2C is a schematic diagram of a user interface form. It features a rectangular box at the top labeled "TEXT", with a handwritten "~138A" above it. Below the "TEXT" box is a dashed rectangular area containing two input fields: "Row" and "Column". To the right of this dashed area is a rectangular box labeled "Current", with a handwritten "138C" next to it. Below the dashed area is a rectangular box labeled "user ID", with a handwritten "138E" below it. At the bottom of the form is a rounded rectangular button labeled "NEXT", with a handwritten "~138D" next to it. A handwritten "138B" is also present, pointing to the dashed area.

FIG. 2C

0977287 020601
109020" 282460





FIG. 3

0977337 020604



F16.4